

THE 2017 4th INTERNATIONAL CONFERENCE
ON INFORMATION TECHNOLOGY, COMPUTER,
AND ELECTRICAL ENGINEERING

ICITACEE 2017

OCTOBER 18 -19, 2017



The Wujil Resort and Conventions
Semarang, October 18 - 19, 2017



DEPARTMENT OF COMPUTER ENGINEERING
FACULTY OF ENGINEERING
DIPONEGORO UNIVERSITY



Proceedings

**The 2017 4th International Conference on Information
Technology, Computer, and Electrical Engineering (ICITACEE)**

October 18-19, 2017, Semarang, Indonesia

Editor:

Mochammad Facta
Munawar Agus Riyadi
Agung Budi Prasetijo
Eko Didik Widiyanto
Dania Eridani

Proceedings

The 2017 4th International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)

Copyright and Reprint Permission: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For reprint or republication permission, email to IEEE Copyrights Manager at pubs-permissions@ieee.org. All rights reserved.

Copyright ©2017 by IEEE.

Publisher :

Department of Computer Engineering
Diponegoro University

ISBN : 978-1-5386-3946-7 (PRINT, Part Number : CFP1789Z-PRT)

ISBN : 978-1-5386-3945-0 (USB, Part Number : CFP1789Z-USB)

ISBN : 978-1-5386-3947-4 (XPLORE COMPLIANT, Part Number : CFP1789Z-ART)

Additional copies may be ordered to:
Department of Computer Engineering
Diponegoro University,
Jl. Prof. H. Soedarto, S.H., Tembalang
Semarang, Indonesia 50275

The 2017 4th International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)

Conference Committee

General Chair : Agung Budi Prasetyo (Universitas Diponegoro)
Co-Chair : Aghus Sofwan (Universitas Diponegoro)
Secretary : Dania Eridani

Organizing Committee:

Munawar Agus Riyadi
R. Rizal Isnanto
Risma Septiana
Andi Widiasmoro
Melati Mawas Titi
Eko Didik Widiyanto
Yudi Eko Windarto
Kurniawan Teguh Martono
Adnan Fauzi

Steering Committee:

Hiroshi Ochi (Kyushu Institute of Technology, Jepang)
Hiroshi Furukawa (Kyushu University, Jepang)
Kuncoro Wastuwibowo (IEEE Indonesia Section)
Trio Adiono (IEEE Solid State Circuits Indonesia Chapter)
Mauridhi Hery Purnomo (Sepuluh Nopember Institute of Technology)
Razali Ismail (University Teknologi Malaysia)
Taufik (California Polytechnic State, USA)

Technical Program Committee:

Mochammad Facta (Diponegoro University, Indonesia)
Masayuki Kurosaki (Kyushu University, Japan)
Trio Adiono (Bandung Institute of Technology, Indonesia)
P. Insap Santosa (Gadjah Mada University, Indonesia)
Hermawan (Diponegoro University, Indonesia)
Mauridhi Hery Purnomo (Sepuluh Nopember Institute of Technology, Indonesia)
Khoirul Anwar (Japan Advanced Institute of Science and Technology, Japan)
Wahyudi (Diponegoro University, Indonesia)
Tole Sutikno (Ahmad Dahlan University, Indonesia)
Wahyul Amien Syafei (Diponegoro University, Indonesia)
Munawar Agus Riyadi (Diponegoro University, Indonesia)
Sidiq Syamsul Hidayat (Semarang State Polytechnics, Indonesia)
Supari (Semarang University, Indonesia)
Slamet Riyadi (Soegijapranoto Catholic University, Indonesia)
M. Haddin (Sultan Agung Islamic University, Indonesia)

Onil Nazra Persada (CIRELA, France)
Zolkafle Buntat (Universiti Teknologi Malaysia)
Taufik (California Polytechnic State University, USA)
Hashim Uledi Iddi (University of Dar es Salaam, Tanzania)
Aris Triwiyatno (Diponegoro University, Indonesia)
Pandu Sandi Pratama (Pusan National University, South Korea)
Razali Ismail (Universiti Teknologi Malaysia, Malaysia)
Ismail Saad (University Malaysia Sabah, Malaysia)
Oky Dwi Nurhayati (Diponegoro University, Indonesia)

Conference Technical Program Overview

Wednesday-Thursday, October 18-19, 2017

Track: Keynote Speakers

Room: Plenary

NO	ID	Title	Authors
1	KEY-01	Bioinspired Algorithms for Internet of Things Network	Riri Fitri Sari
2	KEY-02	Assessing Information Security Culture: The Case of Malaysia Public Organization	Mohamad Noorman Masrek
3	KEY-03	4th Industrial Revolution: The Future of Machining	Azli Yahya

Track: Electric Power

Room: PWR

NO	ID	Title	Authors
1	EPW-01	A Bi-directional Boost Converter-Based Non-Isolated DC-DC Transformer with Modular Solid-State Switches for Medium-/High-Voltage DC Grids	Ahmed Elserougi, Ahmed Massoud, Shehab Ahmed
2	EPW-02	Enhancing the DC Voltage Utilization of Twelve-Switch Voltage Source Inverter Feeding Symmetrical/Asymmetrical Nine-Phase Loads	Ahmed Elserougi, Ibrahim Abdelsalam, Ahmed Massoud, Shehab Ahmed
3	EPW-03	Determination of the Conduction Angle for Switched Reluctance Motor Drive	Slamet Riyadi
4	EPW-04	Load Shedding and Forecasting in Distribution Systems with PV-based Distributed Generation and Electric Vehicles	Anas Tahir, Ahmed Massoud
5	EPW-05	A Three-Level Common-Emitter Current Source Inverter with Reduced Device Count	Suroso, Daru Tri Nugroho, Winasis Winasis
6	EPW-06	Reduction of Cogging Torque on Brushless Direct Current Motor with Segmentation of Magnet Permanent	Rudy Setiabudy, Herlina, Yudha Sasmita Putra
7	EPW-07	Optimal Photovoltaic Placement at the Southern Sulawesi Power System for Stability Improvement	Ardiaty Arief, Muhammad Bachtiar Nappu, Sitti Marwah Rachman, Mustadir Darusman

8	EPW-08	Feature Extraction Using Hilbert-Huang Transform for Power System Oscillation Measurements	Buyung Sofiarto Munir, Muhamad Reza, Agung Trisetyarso, Bahtiar Saleh Abbas
9	EPW-09	Audit of Harmonic on Residential Loads in Central Java	Sapto Nisworo, Deria Pravitarsari
10	EPW-10	Harmonics Monitoring of Car's Inverter using Discrete Fourier Transformation	Mat Syai'in, N.H. Rohiem, R. K. Tobing, M.A. Atmoko, M. F. Adiatmoko, A. Soeprijanto, A.M Hatta, Sekartedjo
11	EPW-11	Voltage Sag Mitigation Due To Short Circuit Current Using Dynamic Voltage Restorer Based On Hysteresis Controller	Nizamul Muluk, Agung Warsito, Juningtyastuti, Iwan Setiawan
12	EPW-12	Design Analysis of Photovoltaic Systems as Renewable Energy Resource in Airport	Hermawan, Karnoto
13	EPW-13	Design and Development of Data Acquisition for Leakage Current at Electrical Tracking Test	Jumrianto, Wahyudi, Abdul Syakur
14	EPW-14	Experimental Study on Lightning Air Terminal Performance based on Material Type	Abdul Syakur, Agung Nugroho, Anastasia Br. Napitupulu
15	EPW-15	Comparison of Cost Estimation Methods in Power Wheeling for Java-Bali Interconnection System	Hermawan, Trias Andromeda
16	EPW-16	Optimization of Gas Turbine Power Plant Economic Dispatch using Cuckoo Search Algorithm Method	Tejo Sukmadi, Ariya Dwi Wardhana, Munawar Agus Riyadi

Track: Information Technology, and Computer Sciences
Room: ICT

NO	ID	Title	Authors
1	INF-01	Review on the Application of Financial Technology for the Wayang Orang Ngesti Pandowo Cultural Creative Industry	Albertus Dwiyoga Widianoro, Ridwan Sanjaya, Tjahjono Rahardjo, Rahmat Djati
2	INF-02	Online Judging System for Programming Contest using UM Framework	I Made Wirawan, Agusta Rakhmat Taufani, Irawan Dwi Wahyono, Irham Fadlika
3	INF-03	Regulatory Framework Creation Analysis to Reduce Security Risks The Use of Social Media in Companies	Oktavianus Teguh Prayitno, Ofelia Cizela da Costa Tavares, Amaya Andri Damaini, Djoko Budiyanto Setyohadi

4	INF-04	Student Learning Styles and Emotional Tendencies Detection Based on Twitter	Robet Habibi, Djoko Budiyanto Setyohadi, Kartika Imam Santoso
5	INF-05	Inter-Organizational Information System Affect Organization Structure for Supply Chain Management Using Method SET and Method TREV	Rakotovao Andriamitovo Andry Michel, Ginanjar Setyo Nugroho, Chaken Charles Z Slarmanat, Djoko Budiyanto Setyohadi
6	INF-06	Integration Of Pharmacy And Drug Manufacturers In RSUD Dr Samratulangi Tondano By ESB WSO2 To Improve Service Quality (A Case Study of RSUD Dr Samratulangi Tondano, Minahasa Regency, North Sulawesi)	Damar Suryo Sasono, Frendy Rocky Rumambi, Ressa Priskila, Djoko Budiyanto Setyohadi
7	INF-07	Analysis and Design of Web-Geographic Information System for Tropical Diseases-Prone Areas: A Case Study of East Java Province, Indonesia	Anik Vega Vitianingsih, Dwi Cahyono, Achmad Choiron
8	INF-08	Smartphone Application Development for Monitoring and Early Warning on Environmental Health	Kodrat Iman Satoto, Eko Didik Widiyanto, Sumardi
9	INF-09	Sentiment Analysis on Twitter Posts: An analysis of Positive or Negative Opinion on Gojek	Ike Pertiwi Windasari, Fajar Nurul Uzzi, Kodrat Iman Satoto
10	INF-10	Design of Learning Media for Fish Classification with Augmented Reality Technology	Kurniawan Teguh Martono, Adnan Fauzi
11	INF-11	Sentiment Analysis on Travel Destination in Indonesia	Ike Pertiwi Windasari, Dania Eridani
12	INF-12	Wireless Sensor Network Design for Landslide Warning System in IoT Architecture	Aghus Sofwan, Sumardi, M. Ridho, Abdul Goni, Najib
13	INF-13	Enterprise Architecture Analysis and Design of Manufacturer Company Based on TOGAF ADM 9.1: Case Study on Sales Marketing and Technology Function in PT. XYZ	Rahmat Mulyana, Jihan Herdiyanti Syafira
14	INF-14	Evaluation of IT Governance Using the Cobit 5 Framework on PTPN 7	Ibrahim, Arnisa Stefanie
15	INF-15	Automatic detection of epilepsy using Wavelet Transformation and ELM	Siswandari Noertjahjani, Adhi Susanto, Risanuri Hidayat, Samekto Wibowo
16	CSI-01	Mapping Multiple Databases to Resource Description Framework with Additional Rules as Conclusions Drawer	Atleiya Julianita, Saptadi Nugroho, Banu Wirawan Yohanes
17	CSI-02	Designing Android Reward System Application in Education to Improve Learning Quality	Ratih Isnaini, Basori Basori, Rosihan Ari Yuana, Dwi Maryono

18	CSI-03	Location Prediction Model using Naïve Bayes Algorithm in a Half-open Building	Banu Wirawan Yohanes, Samuel Yanuar Rusli, Hartanto Kusuma Wardana
19	CSI-04	A System Engineering Approach to the Implementation of the Internet of Things (IoT) in a Country	Muhammad Suryanegara, Ajib Setyo Arifin, Muhamad Asvial, Gunawan Wibisono
20	CSI-05	Application of Design Patterns and Quality Measurement on Academic Information Systems	Siti Rochimah, Afif Ishamsyah Hantriono, Rizky Januar Akbar, Andreyan Rizky Baskara
21	CSI-06	Part of Speech features for Sentiment Classification based on Latent Dirichlet Allocation	Eka Surya Usop, R. Rizal Isnanto, Retno Kusumaningrum
22	CSI-07	A Multiple Classifiers Broadcast Protocol for VANET	Sami S. Alwakeel, Hesham A. Altwaijry, Agung B. Prasetijo
23	CSI-08	Buy/Sell Signal Detection in Stock Trading with Bollinger Bands and Parabolic SAR with Web Application for Proofing Trading Strategy	Agung B. Prasetijo, Takdir A. Saputro, Ike P. Windasari, Yudi E. Windarto
24	CSI-09	Hoax Detection System on Indonesian News Sites Based on Text Classification using SVM and SGD	Agung B. Prasetijo, R. Rizal Isnanto, Dania Eridani, Yosua Alvin Adi Soetrisno, M. Arfan, Aghus Sofwan
25	CSI-10	Analysis of Custody Transfer on Moving Bundle Protocol of Wireless Router in Delay Tolerant Network (DTN)	Fitri Noviani, Deris Stiawan, Sri Desy Siswanti, Tri Wanda Septian, Munawar A. Riyadi, Fahad Aljaber, Rahmat Budiarto

Track: Electronics, Robotics, and Instrumentation, Image & Signal Processing, Wireless & Telecommunications

Room: ELROINS

NO	ID	Title	Authors
1	ERI-01	Ball Detection Algorithm for Robot Soccer based on Contour and Gradient Hough Circle Transform	Ane Cornelia, Iwan Setyawan
2	ERI-02	Hardware Design of Queuing Free Environmental Friendly Automatic Toll Gate Using RFID	W. A. Syafei, A. F. Listyono, Darjat Darjat
3	ERI-03	Smart Meter based on Time Series Modify and Constructive Backpropagation Neural Network	M. F. Adiatmoko, Adi Soeprijanto, Mat Syai'in, Nasyith Hananur R

4	ERI-04	The Development of Soil Water Content Detector	Amin Suharjono, Muhammad Mukhlisin, Nur Khodijah M. Alfisyahrin
5	ERI-05	Applying Maritime Wireless Communication to Support Vessel Monitoring	Zahir Zainuddin, Wardi Wardi, Yurika Nantan
6	ERI-06	Design of Lungs Volume Measuring Instrument using Pressure Sensor Based on Arduino Uno R3 with Bluetooth Integration	Gayuh Nurul Huda, Eko Didik Widiyanto, Oky Dwi Nurhayati
7	ERI-07	Designing and Implementing the Arduino-based Nutrition Feeding Automation System of a Prototype Scaled Nutrient Film Technique (NFT) Hydroponics using Total Dissolved Solids (TDS) Sensor	Dania Eridani, Olivia Wardhani, Eko Didik Widiyanto
8	ERI-08	Door And Light Control Prototype Using Intel Galileo Based Internet of Things	Yudi Eko Windarto, Dania Eridani
9	ERI-09	Particle Swarm Optimization (PSO)-Based Self Tuning Proportional, Integral, Derivative (PID) for Bearing Navigation Control System on Quadcopter	Sumardi, Muhammad Surya Sulila, Munawar Agus Riyadi
10	ERI-10	Design of Integrated SCADA Systems in Piston Production Manufacturing Case Study on the Conveyor, the Coolant, the Hydraulic, and the Alarm Systems using PLC CJ1M and CJ1W-ETN21	Syahril Ardi, Agus Ponco, Rizky Awaludin Latief
11	ERI-11	Design of Pokayoke Systems to Increase the Efficiency of Function Check Oxygen Sensor Machine using Programmable Logic Controller in Manufacturing Industry	Syahril Ardi, Harits Abdurrahman
12	TEL-01	Design of Measurement System for HF MIMO NVIS Channel	Sarah Lasroma Manalu, Gamatyo Hendranto, Achmad Mauludiyanto
13	TEL-02	Design and Analysis of Slimjim Dual Band VHF and UHF Antenna with Crossarm Variation	Yuli Christyono, Ihsan Atmaji, Teguh Prakoso
14	TEL-03	Bandwidth Enhancement of Circular Microstrip Antenna Using Characteristic Mode Analysis	Teguh Prakoso, Liya Y. Sabila, Denti A. Damayanti, Aghus Sofwan, Munawar A. Riyadi, Sudjadi, Sukiswo, Enda W. Sinuraya, Karnoto
15	IMG-01	Pattern Recognition Analysis of Herbal Leaves Based on Distance-Based Similarity Measures Using the Gray Level Co-Occurrence Matrix Feature Extraction	M. Fahmi Awaj, R. Rizal Isnanto, Munawar Agus Riyadi
16	IMG-02	StegoCrypt Method using Wavelet Transform and One-Time Pad for Secret Image Delivery	De Rosal Ignatius Moses Setiadi, Andik Setyono, Mulyono

17	IMG-03	A Secure Image Watermarking using Chinese Remainder Theorem Based on Haar Wavelet Transform	De Rosal Ignatius Moses Setiadi, Usman Sudiby, Fatma Eranisa, Eko Hari Rachmawanto, Christy Atika Sari
18	IMG-04	Plant Age Identification System of Outdoor Hydroponic Cultivation Based on Digital Image Processing	Thomas Agung Setyawan, Arif Nursyahid, Mochammad Rizal Wibisono, Eni Dwi Wardihani, Helmi
19	IMG-05	Herb Leaves Recognition Using Combinations of Hu's Moment Variants - Backpropagation Neural Network and 2-D Gabor Filter - Learning Vector Quantization (LVQ)	R. Rizal Isnanto, Achmad Hidayanto, Ajub Ajulian Zahra, Eskanesiari, Aditya Indra Bagaskara, Risma Septiana

TABLE OF CONTENTS

Keynote Speakers

- 1 Bioinspired Algorithms for Internet of Things Network
Riri Fitri Sari
- 2 Assessing Information Security Culture: The Case of Malaysia Public Organization
Mohamad Noorman Masrek
- 3 4th Industrial Revolution: The Future of Machining
Azli Yahya

Computer Science

- 5 Mapping Multiple Databases to Resource Description Framework with Additional Rules as Conclusions
Drawer
Atleiya Julianita, Saptadi Nugroho, Banu Wirawan Yohanes
- 9 Designing Android Reward System Application in Education to Improve Learning Quality
Ratih Isnaini, Basori Basori, Rosihan Ari Yuana, Dwi Maryono
- 15 Location Prediction Model using Naïve Bayes Algorithm in a Half-open Building
Banu Wirawan Yohanes, Samuel Yanuar Rusli, Hartanto Kusuma Wardana
- 20 A System Engineering Approach to the Implementation of the Internet of Things (IoT) in a Country
Muhammad Suryanegara, Ajib Setyo Arifin, Muhamad Asvial, Gunawan Wibisono
- 24 Application of Design Patterns and Quality Measurement on Academic Information Systems
Siti Rochimah, Afif Ishamsyah Hantriono, Rizky Januar Akbar, Andreyan Rizky Baskara
- 31 Part of Speech Features for Sentiment Classification based on Latent Dirichlet Allocation
Eka Surya Usop, R. Rizal Isnanto, Retno Kusumaningrum
- 35 A Multiple Classifiers Broadcast Protocol for VANET
Sami S. Alwakeel, Hesham A. Altwaijry, Agung B. Prasetijo
- 41 Buy/Sell Signal Detection in Stock Trading with Bollinger Bands and Parabolic SAR with Web Application for Proofing Trading Strategy
Agung B. Prasetijo, Takdir A. Saputro, Ike P. Windasari, Yudi E. Windarto
- 45 Hoax Detection System on Indonesian News Sites Based on Text Classification using SVM and SGD
Agung B. Prasetijo, R. Rizal Isnanto, Dania Eridani, Yosua Alvin Adi Soetrisno, M. Arfan, Aghus Sofwan
- 50 Analysis of Custody Transfer on Moving Bundle Protocol of Wireless Router in Delay Tolerant Network (DTN)
Fitri Noviani, Deris Stiawan, Sri Desy Siswanti, Tri Wanda Septian, Munawar A. Riyadi, Fahad Aljaber, Rahmat Budiarto

Electric Power

- 54 A Bi-directional Boost Converter-Based Non-Isolated DC-DC Transformer with Modular Solid-State Switches for Medium-/High-Voltage DC Grids
Ahmed Elserougi, Ahmed Massoud, Shehab Ahmed
- 60 Enhancing the DC Voltage Utilization of Twelve-Switch Voltage Source Inverter Feeding Symmetrical/Asymmetrical Nine-Phase Loads
Ahmed Elserougi, Ibrahim Abdelsalam, Ahmed Massoud, Shehab Ahmed
- 66 Determination of the Conduction Angle for Switched Reluctance Motor Drive
Slamet Riyadi
- 71 Load Shedding and Forecasting in Distribution Systems with PV-based Distributed Generation and Electric Vehicles
Anas Tahir, Ahmed Massoud

- 77 A Three-Level Common-Emitter Current Source Inverter with Reduced Device Count
Suroso Suroso, Daru Tri Nugroho, Winasis Winasis
- 81 Reduction of Cogging Torque on Brushless Direct Current Motor with Segmentation of Magnet Permanent
Rudy Setiabudy, Herlina Herlina, Yudha Sasmita Putra
- 87 Optimal Photovoltaic Placement at the Southern Sulawesi Power System for Stability Improvement
Ardiaty Arief, Muhammad Bachtiar Nappu, Sitti Marwah Rachman, Mustadir Darusman
- 93 Feature Extraction Using Hilbert-Huang Transform for Power System Oscillation Measurements
Buyung Sofiarito Munir, Muhamad Reza, Agung Trisetyarso, Bahtiar Saleh Abbas
- 97 Audit of Harmonic on Residential Loads in Central Java
Sapto Nisworo, Deria Pravitasari
- 102 Harmonics Monitoring of Car's Inverter using Discrete Fourier Transformation
Mat Syai'in, N.H. Rohiem, R. K. Tobing, M.A. Atmoko, M. F. Adiatmoko, A. Soeprijanto, A.M Hatta, Sekartedjo Sekartedjo
- 108 Voltage Sag Mitigation Due To Short Circuit Current Using Dynamic Voltage Restorer Based On Hysteresis Controller
Nizamul Muluk, Agung Warsito, Juningtyastuti Juningtyastuti, Iwan Setiawan
- 113 Design Analysis of Photovoltaic Systems as Renewable Energy Resource in Airport
Hermawan Hermawan, Karnoto Karnoto
- 117 Design and Development of Data Acquisition for Leakage Current at Electrical Tracking Test
Jumrianto Jumrianto, Wahyudi Wahyudi, Abdul Syakur
- 123 Experimental Study on Lightning Air Terminal Performance based on Material Type
Abdul Syakur, Agung Nugroho, Anastasia Br. Napitupulu
- 127 Comparison of Cost Estimation Methods in Power Wheeling for Java-Bali Interconnection System
Hermawan Hermawan, Trias Andromeda
- 131 Optimization of Gas Turbine Power Plant Economic Dispatch using Cuckoo Search Algorithm Method
Tejo Sukmadi, Ariya Dwi Wardhana, Munawar Agus Riyadi

Electronics, Robotics and Instrumentation

- 136 Ball Detection Algorithm for Robot Soccer based on Contour and Gradient Hough Circle Transform
Ane Cornelia, Iwan Setyawan
- 142 Hardware Design of Queuing Free Environmental Friendly Automatic Toll Gate Using RFID
W. A. Syafei, A. F. Listyono, Darjat Darjat
- 147 Smart Meter based on Time Series Modify and Constructive Backpropagation Neural Network
M. F. Adiatmoko, Adi Soeprijanto, Mat Syai'in, Nasyith Hananur R
- 154 The Development of Soil Water Content Detector
Amin Suharjono, Muhammad Mukhlisin, Nur Khodijah M. Alfisyahrin
- 158 Applying Maritime Wireless Communication to Support Vessel Monitoring
Zahir Zainuddin, Wardi Wardi, Yurika Nantan
- 162 Design of Lungs Volume Measuring Instrument using Pressure Sensor Based on Arduino Uno R3 with Bluetooth Integration
Gayuh Nurul Huda, Eko Didik Widiyanto, Oky Dwi Nurhayati
- 170 Designing and Implementing the Arduino-based Nutrition Feeding Automation System of a Prototype Scaled Nutrient Film Technique (NFT) Hydroponics using Total Dissolved Solids (TDS) Sensor
Dania Eridani, Olivia Wardhani, Eko Didik Widiyanto
- 176 Door And Light Control Prototype Using Intel Galileo Based Internet of Things
Yudi Eko Windarto, Dania Eridani
- 181 Particle Swarm Optimization (PSO)-Based Self Tuning Proportional, Integral, Derivative (PID) for Bearing Navigation Control System on Quadcopter
Sumardi Sumardi, Muhammad Surya Sulila, Munawar Agus Riyadi
- 187 Design of Integrated SCADA Systems in Piston Production Manufacturing Case Study on the Conveyor, the Coolant, the Hydraulic, and the Alarm Systems using PLC CJ1M and CJ1W-ETN21
Syahril Ardi, Agus Ponco, Rizky Awaludin Latief

- 192 Design of Pokayoke Systems to Increase the Efficiency of Function Check Oxygen Sensor Machine using Programmable Logic Controller in Manufacturing Industry
Syahril Ardi, Harits Abdurrahman

Image and Signal Processing

- 197 Pattern Recognition Analysis of Herbal Leaves Based on Distance-Based Similarity Measures Using the Gray Level Co-Occurrence Matrix Feature Extraction
M. Fahmi Awaj, R. Rizal Isnanto, Munawar Agus Riyadi
- 203 StegoCrypt Method using Wavelet Transform and One-Time Pad for Secret Image Delivery
Andik Setyono, De Rosal Ignatius Moses Setiadi, Muljono Muljono
- 208 A Secure Image Watermarking using Chinese Remainder Theorem Based on Haar Wavelet Transform
Usman Sudiby, Fatma Eranisa, De Rosal Ignatius Moses Setiadi, Christy Atika Sari
- 213 Plant Age Identification System of Outdoor Hydroponic Cultivation Based on Digital Image Processing
Arif Nursyahid, Mochammad Rizal Wibisono, Eni Dwi Wardihani, Helmy Helmy, Thomas Agung Setyawan
- 219 Herb Leaves Recognition Using Combinations of Hu's Moment Variants - Backpropagation Neural Network and 2-D Gabor Filter - Learning Vector Quantization (LVQ)
R. Rizal Isnanto, Achmad Hidayatno, Ajub Ajulian Zahra, Eskanesiari Eskanesiari, Aditya Indra Bagaskara, Risma Septiana

Information Technology

- 225 Review on the Application of Financial Technology for the Wayang Orang Ngesti Pandowo Cultural Creative Industry
Albertus Dwiyoga Widiatoro, Ridwan Sanjaya, Tjahjono Rahardjo, Rahmat Djati
- 230 Online Judging System for Programming Contest using UM Framework
I Made Wirawan, Augusta Rakhmat Taufani, Irawan Dwi Wahyono, Irham Fadlika
- 235 Regulatory Framework Creation Analysis to Reduce Security Risks The Use of Social Media in Companies
Oktavianus Teguh Prayitno, Ofelia Cizela da Costa Tavares, Amaya Andri Damaini, Djoko Budiyanto Setyohadi
- 239 Student Learning Styles and Emotional Tendencies Detection Based on Twitter
Robet Habibi, Djoko Budiyanto Setyohadi, Kartika Imam Santoso
- 244 Inter-Organizational Information System Affect Organization Structure for Supply Chain Management Using Method SET and Method TREV
Rakotovao Andriamitovo Andry Michel, Ginanjar Setyo Nugroho, Chaken Charles Z Slarmanat, Djoko Budiyanto Setyohadi
- 249 Integration Of Pharmacy And Drug Manufacturers In RSUD Dr Samratulangi Tondano By ESB WSO2 To Improve Service Quality (A Case Study of RSUD Dr Samratulangi Tondano, Minahasa Regency, North Sulawesi)
Damar Suryo Sasono, Frendy Rocky Rumambi, Ressa Priskila, Djoko Budiyanto Setyohadi
- 255 Analysis and Design of Web-Geographic Information System for Tropical Diseases-Prone Areas: A Case Study of East Java Province, Indonesia
Anik Vega Vitianingsih, Dwi Cahyono, Achmad Choiron
- 261 Smartphone Application Development for Monitoring and Early Warning on Environmental Health
Kodrat Iman Satoto, Eko Didik Widiyanto, Sumardi Sumardi
- 266 Sentiment Analysis on Twitter Posts: An analysis of Positive or Negative Opinion on GoJek
Ike Pertiwi Windasari, Fajar Nurul Uzzi, Kodrat Iman Satoto
- 270 Design of Learning Media for Fish Classification with Augmented Reality Technology
Kurniawan Teguh Martono, Adnan Fauzi
- 276 Sentiment Analysis on Travel Destination in Indonesia
Ike Pertiwi Windasari, Dania Eridani
- 280 Wireless Sensor Network Design for Landslide Warning System in IoT Architecture
Aghus Sofwan, Sumardi Sumardi, M. Ridho, Abdul Goni, Najib Najib

- 284 Enterprise Architecture Analysis and Design of Manufacturer Company Based on TOGAF ADM 9.1: Case Study on Sales Marketing and Technology Function in PT. XYZ
Rahmat Mulyana, Jihan Herdiyanti Syafira
- 290 Evaluation of IT Governance Using the Cobit 5 Framework on PTPN 7
Ibrahim Ibrahim, Arnisa Stefanie
- 294 Automatic detection of epilepsy using Wavelet Transformation and ELM
Siswandari Noertjahjani, Adhi Susanto, Risanuri Hidayat, Samekto Wibowo

Wireless and Telecommunication

- 300 Design of Measurement System for HF MIMO NVIS Channel
Sarah Lasroma Manalu, Gamatyo Hendrantoro, Achmad Mauludiyanto
- 306 Design and Analysis of Slimjim Dual Band VHF and UHF Antenna with Crossarm Variation
Yuli Christyono, Ihsan Atmaji, Teguh Prakoso
- 312 Bandwidth Enhancement of Circular Microstrip Antenna Using Characteristic Mode Analysis
Teguh Prakoso, Liya Y. Sabila, Denti A. Damayanti, Aghus Sofwan, Munawar A. Riyadi, Sudjadi Sudjadi, Sukiswo Sukiswo, Enda W. Sinuraya, Karnoto Karnoto

StegoCrypt Method using Wavelet Transform and One-Time Pad for Secret Image Delivery

Andik Setyono, De Rosal Ignatius Moses Setiadi, Muljono

Faculty of Computer Science, Dian Nuswantoro University

Semarang, Indonesia

Email: andik.setyono@dsn.dinus.ac.id, moses@dsn.dinus.ac.id, muljono@dsn.dinus.ac.id

Abstract— In this study, the StegoCrypt technique is proposed using a combination of Discrete Wavelet Transform (DWT) and One-Time Pad (OTP). Cover image with size 512 * 512 transformed with Wavelet transformation of four levels. For the first level to the third level, the subband LL is selected to obtain LL3 subband. At fourth level, the LL3 is then transformed into HH4 subband with help of wavelet transformation. This is done to gain strength and imperceptibility to the stego image. The secret message that is used is a binary image with a size of 32 * 32. Secret image is encrypted with OTP before it is inserted in the host image. To test the quality of imperceptibility, stego images were measured using PSNR and MSE. While the quality of secret image reconstruction of extraction and decryption results are measured by using NCC. Robustness of stego image is also tested with JPEG compression attacks. From the test results can be concluded that the proposed method works well and get a better quality stego image. The secret image reconstruction results are also perfect as well as robust to JPEG compression attacks.

Keywords—Discrete Wavelet Transform; One-Time Pad; Image Steganography; Image Encryption; Image Cryptography

I. INTRODUCTION

Currently messaging via the Internet network is a favorite thing because it is fast and practical. Not infrequently the secret message is also sent via the Internet. But the Internet is a public network that is accessible to all people in the world. This may cause an interruption in the messaging process. The dangerous thing is when the message is stolen by an unauthorized person [1]. Therefore it is necessary to safeguard the sending of messages, so messages sent from the sender can be safe to the recipient.

There are two techniques that have been popular and widely used in message security process, i.e., steganography and cryptography [2]. Steganography is the technique of hiding messages on an object in order to fool the human visual sense [3]. Steganography can be solved in two ways, namely spatial domain, and frequency domain. Pixel Value Differencing (PVD) and Least Significant Bit (LSB) is a widely used technique in the spatial domain of steganography [4]. Fourier, Tschebischev, Cosine, and Wavelet have widely used transformation in domain frequency steganography [1] [5] [6]. Frequency domains are mostly chosen on steganography as it is stronger against manipulation and distortion in the image [2] [7].

Cryptography is a technique for converting the form of a message into another form that has a different meaning to the message itself, possibly even tampering like a corrupted file. There are two main processes in cryptography, namely encryption, and decryption [8]. Both of these processes always use the key. In the key encryption process serves to change the plaintext into ciphertext, while the decryption key functions to return the cipher text to plain text. There are two kinds of cryptographic techniques, namely symmetrical and asymmetric. Asymmetric cryptography is a cryptographic technique that uses different keys when performing encryption and decryption. While symmetric cryptography uses the same key while doing the process of encryption and decryption. One-Time Pad (OTP) is one of symmetric cryptography techniques that is very safe and difficult to solve [9]. Currently, the combination of steganography and cryptography is becoming more popular, this is due to the layered security of the message so that the message more difficult to be stolen and solved. The combination of steganography and cryptography here is often referred to as StegoCrypt.

II. RELATED WORK

E. H. Houssein et. al. [1] proposed a combination of Haar Discrete Wavelet Transform (HDWT) to insert data and AES to encrypt messages. The cover image used is a grayscale image with size 512 * 512. Embedded message on the image in the form of text with a message length of 1 to 500 characters. Stego image quality is measured by Peak Signal to Noise Ratio (PSNR), Mean Square Error (MSE) and Mean Absolute Error (MAE).

D. R. I. M. Setiadi et. al. [1] proposed the use of 16 * 16 sub-block based DCT for insertion of messages that have been encrypted with OTP algorithm. The insertion is done on the DC part coefficient, the message is inserted in the form of a binary image with size 32 * 32 and cover image with size 512 * 512. Stego image quality is measured by PSNR and MSE. The decrypted and extracted message is compared with the original message to get the value of Normalize Cross Correlation (NCC). In this study also performed resistance test with JPEG and Median filtering compression.

S. Singh and T. J. Siddiqui [10] proposed using 8 * 8 DCT sub-blocks in which messages were inserted in the mid-coefficient section. Where messages are inserted in the form of

a binary image with size 64 * 64. The message is encrypted with an Arnold transformation before it is inserted. While the cover image is a grayscale image with size 512 * 512. Stego image quality is measured by PSNR and MSE, while extracted and decrypted messages are measured by Normalize Correlation (NC) and Bit Error Ratio (BER). In this study also performed robustness test with JPEG compression, low-pass filtering, noise addition, and cropping.

M. Jain dan S. K. Lenka [11] in his research proposed the use of LSB and One-Time Pad (OTP) for the StegoCrypt scheme. The message insertion technique uses LSB with master variables, where messages can be inserted in 6th, 7th, or 8th bits. The cover image used is a color image. Messages inserted in the form of text that consists of only characters with the size of 8 to 128 bytes. Before this message is embedded, encrypt with OTP. Stego image quality is measured by PSNR and MSE.

S. N. Gowda [12] proposed the LSB technique for message insertion, while encryption was performed in two stages, with AES and RSA. The cover image used is a color image with a size of 1280 * 780 with text messages that embed with the size of 1kB to 512kB. The quality of stego images is measured by PSNR and MSE.

III. BASIC THEORY OF DISCRETE WAVELET TRANSFORM AND ONE-TIME PADS

A. Discrete Wavelet Transform (DWT)

DWT is widely used in hiding message because it can perform spatial localization well and has multi-resolution characteristics in accordance with the model theory of human visual system (HVS) [13]. The image transformed with DWT will be divided into four subbands, namely LL, LH, HL, HH. LL is a subband that contains low frequency or contains the value of approximation of the image. LH is a subband that contains a low-high frequency or horizontal index value in the image. HL is a subband that contains high-low frequency or vertical index image value. While HH is a subband that contains high frequency or diagonal image index value [14]. The LL coefficients have some advantages compared to other coefficients that have an optimal approach for the original image because most of the image energy concentrates on this frequency [13], [15], [16]. Fig. 1 shows image decomposition on DWT.

Low-Frequency Subband (LL)	High-Low Frequency Subband (HL)
Low-High-Frequency Subband (LH)	High-Frequency Subband (HH)

Fig. 1. DWT Composition Subband

B. One-Time Pad (OTP)

OTP is asymmetric cryptography technique, which uses randomly generated keys. This key is used to perform the

encryption and decryption process. OTP technique was first created by G. Vernam in 1917. The process of encryption and decryption using XOR operators on key and secret messages [14]. This technique is very powerful and is resistant to brute force attacks if the key is truly random and only once used [1] [14].

IV. PROPOSED METHOD

In this section, the StegoCrypt technique is proposed with four levels of DWT and OTP encryption. This technique is used for securing the secret image delivery. The process is divided into two sides: the sender and the receiver.

A. Sender Side Method

On the sender side of the secret image will be done the process of encryption and insertion of secret images on the cover image. Here are the details of the steps in the algorithm on the sender side:

Step 1: Open and read the cover image, then save into variable (C_i).

Step 2: Perform three-level DWT and get LL3 subband, see Fig.2.

LL3	LH3	HL2	(HL)
HL3	HH3		
LH2		HH2	(HH)
(LH)			

Fig. 2. 3-Level DWT Composition

Step 3: Perform DWT on LL3 subband and get HH4 subband. Save subband HH4 for key extraction process (K_e). See Fig. 3.

LL4	HL4	HL3
LH4	HH4	
LH3		HH3

Fig. 3. 4th Level DWT Composition

Step 4: Open and read secret image, the save into variable (S_i).

Step 5: Generate random key (K_r) with the same size as the secret image.

Step 6 : Use Eq .1 to perform OTP on secret image (S_i) with random key (K_r) to get chiphertext of secret image (CT_i).

$$CT_i = (S_i + K_r) \text{ mod } i \quad (1)$$

Where i is 2.

Step 7: Embed (CT_i) into HH4 subband to get stego HH4, use Eq. 2.

$$HH4_s = HH4 + (CT_i * Z) \quad (2)$$

Where Z is embedding strength value

Step 8: Perform inverse transformation using four levels of IDWT, then stego image is generated

B. Receiver Side Method

On the receiver side requires input stego image and key. The output is the recover secret image obtained from the extraction and decryption process of the stego image. Here are the details of the steps in the algorithm on the receiver side:

Step 1: Open and read stego image, then save into variable (St_i).

Step 2: Perform three-level DWT, then take LL3 subband.

Step 3: Perform DWT on LL3 subband and get HH4 subband.

Step 4: Extract encrypted secret image (Es_i) on HH4 of stego image using (K_e), with Eq. 3.

$$Es_i = (HH4 - K_e)/Z \quad (3)$$

Step 5: Decrypt encrypted secret image using Eq. 4. then get decrypted secret image(DS_i)

$$DS_i = (Es_i - K_r) \text{ mod } i \quad (4)$$

V. EXPERIMENTAL RESULT AND COMPARATIVE STUDY

In this paper, we used a grayscale image with size 512*512 for the cover image. The number of cover images tested there are six, namely barbara.bmp, peppers.bmp, cameraman.bmp, women.bmp, lena.bmp, f16.bmp. The six images can be seen in Fig. 4. Whereas, for the secret image used is a binary image with a size of 32 * 32. The OTP key is generated by a random generator. All of our experiments work with MATLAB.



Fig. 4. Cover Image Used {(a) barbara.bmp, (b) peppers.bmp, (c) cameraman.bmp, (d) women.bmp, (e) lena.bmp, (f) f16.bmp}




Fig. 5. {(a) secret image used, (b) sample OTP key, (c) encrypted secret image}

Fig 5. shows the encryption process occurring in the secret image. Once encrypted the secret image is inserted into the cover image so as to produce stego image. To measure stego image quality used PSNR and MSE. Where PSNR and MSE are obtained by comparing stego image with cover image. MSE is used to measure errors in the stego image, the higher the MSE value the poorer the quality of the image. Eq 5 and Eq.6 are formulas to compute MSE.

$$\text{diff} = St_i(a, s, d) - C_i(a, s, d) \quad (5)$$

$$MSE = \sum_{a=0}^{A-1} \sum_{s=0}^{S-1} \sum_{d=0}^{D-1} \|\text{diff}\|^2 \quad (6)$$

Where: $a, s,$ and d is size of image

While PSNR serves to measure the quality of stego image. The higher the PSNR value the stego image becomes more identical to the cover image. Eq. 7 is the PSNR formula we use.

$$PSNR_{dB} = 10 \log_{10} \left(\frac{255^2}{\sqrt{MSE}} \right) \quad (7)$$

Fig. 6 shows the PSNR value graph of the results of this study. Can be seen in the picture that the average value of stego image PSNR is 54.213dB. This value proves that the stego image quality is good because everything is above 40dB [11]. This value is also comparable with the results of the research [1].




Fig. 6. Comparative PSNR Value for Different Stego Image

While Fig. 7 shows the MSE value of each stego image. The average value of MSE stego image is 0.247. This value is quite good when compared with research [1].




Fig. 7. Comparative MSE Value for Different Stego Image

At the end of the experiment was done the measurement of the quality of extraction and decryption of the secret image with NCC. The value of NCC ranges from 0 to 1, the better the value of NCC then the value will be close to 1. Eq. 8 is the formula for calculating the NCC.

$$ncc = \frac{S_i \times DS_i}{S_i \times S_i} \quad (8)$$

where:

- $\sum_a \sum_s$ = sum of pixel value with size a*s
- S_i = secret image
- DS_i = Decrypted secret image




Fig. 8. Decrypted Secret Image from Stego Image {(a) barbara.bmp, (b) peppers.bmp, (c) cameraman.bmp, (d) women.bmp, (e) lena.bmp, (f) f16.bmp}

Fig. 8 shows the extraction and decryption of the secret image of each stego image. From the measurement of NCC formula obtained value 1 on all decryption of secret image. This shows that the results of extraction and decryption on the image can be done perfectly. For more details can be seen in Table I.

TABLE I. NCC VALUE EXTRACTED AND DECRYPTED SECRET IMAGE WITHOUT ATTACK

Image File	NCC
barbara.bmp	1
peppers.bmp	1
cameraman.bmp	1
women.bmp	1
lena.bmp	1
f16.bmp	1

Stego image is also resistant to JPEG attacks, this is evidenced by the high value of NCC which can be seen in Table II. Testing against JPEG attacks is done because in sending data via the internet is often done compression, and the standard compression image is JPEG.

TABLE II. NCC VALUE EXTRACTED AND DECRYPTED SECRET IMAGE WITH JPEG ATTACK

Image File	50% Quality	75% Quality
barbara.bmp	0.9143	1
peppers.bmp	0.9011	0.9989
cameraman.bmp	0.8993	1
women.bmp	0.8769	0.9957
lena.bmp	0.9065	1
f16.bmp	0.8813	0.9988

VI. CONCLUSION

This research proposes new methods on steganography and cryptography techniques (StegoCrypt) using four DWT levels and OTP encryption. The selection of LL subband on the first three DWT levels aims to make the image more robust. This can be proved by the NCC value of JPEG compression attacks. While the HH subband selected at the fourth level of DWT aims to improve imperceptibility. Based on the experimental results found in section V, it can be seen that the method proposed in the study works well. Evidenced by the results of PSNR and MSE on stego image and the perfect value of NCC on the extraction of secret image. The use of a very simple and powerful OTP algorithm provides a powerful protection against secret image messages. This method can be used to provide double security of secret image sent via the Internet, by combination steganography and cryptography.

REFERENCES

- [1] D. R. I. M. Setiadi, E. H. Rachmawanto, and C. A. Sari, "Secure Image Steganography Algorithm Based on DCT," *Journal of Applied Intelligent System*, vol. 2, no. 1, pp. 1-11, 2017.
- [2] E. H. Houssein, M. A. S. Ali and A. E. Hassanien, "An image steganography algorithm using Haar Discrete Wavelet Transform with Advanced Encryption System," in *Federated Conference on Computer Science and Information Systems (FedCSIS)*, Gdansk, 2016.

- [3] E. H. Rachmawanto, R. S. Amin, D. R. I. M. Setiadi, and C. A. Sari, "A Performance Analysis StegoCrypt Algorithm based on LSB-AES 128 bit in Various Image Size," in International Seminar on Application for Technology of Information and Communication (iSemantic), Semarang, 2017.
- [4] S. A. Thanekar and S. S. Pawar, "OCTA (STAR) PVD: A different approach of image steganography," in IEEE International Conference on Computational Intelligence and Computing Research (ICCIC), Enathi, 2013.
- [5] A. Winarno, D. R. I. M. Setiadi, A. A. Arrasyid, C. A. Sari, and E. H. Rachmawanto, "Image Watermarking using Low Wavelet Subband based on 8×8 Sub-block DCT," in International Seminar on Application for Technology of Information and Communication (iSemantic), Semarang, 2017.
- [6] D. R. I. M. Setiadi, T. Sutojo, E. H. Rachmawanto, and C. A. Sari, "Fast and Efficient Image Watermarking Algorithm using Discrete Tchebichef Transform," in International Conference on Information Technology for Cyber and IT Service Management (CITSM), Denpasar, 2017.
- [7] C. A. Sari, E. H. Rachmawanto, and D. R. I. M. Setiadi, "Robust and Imperceptible Image Watermarking by DC Coefficients Using Singular Value Decomposition," in International Conference on Electrical Engineering, Computer Science, and Informatics (EECSI), Yogyakarta, 2017.
- [8] H. A. Elsayed, Y. K. Jadaan and S. K. Guirguis, "Image Security Using Quantum Rivest-Shamir-Adleman Cryptosystem Algorithm and Digital Watermarking," in Progress in Electromagnetic Research Symposium (PIERS), Shanghai, 2016.
- [9] B. J. Saha, Arun, K. K. Kabi, and C. Pradhan, "Non blind watermarking technique using enhanced one time pad in DWT domain," in International Conference on Computing, Communication and Networking Technologies (ICCCNT), Hefei, 2014.
- [10] S. Singh and T. J. Siddiqui, "A Security Enhanced Robust Steganography Algorithm for Data Hiding," International Journal of Computer Science Issues, (IJCSI), vol. 9, no. 1, pp. 131-139, 2012.
- [11] M. Jain and S. K. Lenka, "Secret Data Transmission using Vital Image Steganography over Transposition Cipher," in International Conference on Green Computing and Internet of Things (ICGCIoT), Noida, 2015.
- [12] S. N. Gowda, "Advanced Dual Layered Encryption for Block Based Approach to Image Steganography," in International Conference on Computing, Analytics and Security Trends (CAST), Pune, 2016.
- [13] A. Al-Haj, "Combined DWT-DCT Digital Image Watermarking," Journal of Computer Science, vol. 3, pp. 740-746, September 2007.
- [14] B. J. Saha, Arun, K. K. Kabi, and C. Pradhan, "Non Blind Watermarking Technique using Enhanced One Time Pad in DWT Domain," in International Conference on Computing, Communication and Networking Technologies (ICCCNT), Hefei, 2014.
- [15] W. Na, W. Yunjin and L. Xia, "A Novel Robust Watermarking Algorithm Based on DWT and DCT," in International Conference on Computational Intelligence and Security, 2009.
- [16] A. Susanto, D. R. I. M. Setiadi, C. A. Sari, and E. H. Rachmawanto, "Hybrid Method using HWT-DCT for Image Watermarking," in International Conference on Information Technology for Cyber and IT Service Management (CITSM), Denpasar, 2017.