

# Turnitin Bu Linda S3

*by* Turnitin Bu Linda S3

---

**Submission date:** 13-Dec-2019 01:35PM (UTC+0700)

**Submission ID:** 1233721288

**File name:** CUSME-2020-Linda\_Marlinda.doc (794K)

**Word count:** 3368

**Character count:** 18123

# MATCHING IMAGES USING THE SURF METHOD ON THE FACE OF A BUDDHA STATUE

*Linda MARLINDA<sup>1,2</sup>, Supriadi RUSTAD<sup>3</sup>, Ruri SUKOBASUKI<sup>4</sup>, Fikri BUDIMAN<sup>5</sup>,  
Muhamad FATCHAN<sup>6</sup>*

## ABSTRACT:

At present many statues found in Indonesia are damaged and incomplete. Complicated procedures cause people to be less empathetic to give the statue that was found to the government. Many original statues are lost or sold to unauthorized parties and replaced with fake sculptures so facial recognition of the current statue is very necessary to find out whether it is a Buddha statue. The fast and strong image matching method is very important in taking pictures, the method discussed now uses the SURF (Speed Up Robust Features) method. Choosing this method requires several Interest Points to select the amount of data, Scale Space Representation to handle differences in object scales, image Description, image matching, and face recognition. Data is taken based on the face image of the Buddha statue matched with the face image of the Buddha statue available in the database using Gaussian extraction on various types of transformations. The purpose of this research is to apply the original image manually to various types of transformations and calculate the matching evaluation parameters such as the number of key points in the image, matching levels, and execution time needed for each algorithm. The result will be seen as a suitable image of the statue with the best algorithm for each type of distortion. The tested faces are recognizable images of Buddha statues, and photographs of some of the original statues that were not saved due to unclear lighting and camera distance. The results of data processing obtained matching value with a value of 598000 98% compatibility.

*Key-words: Matching Images, Statue Buddha, SURF (Speed Up Robust Features), face recognition.*

## 1. INTRODUCTION

Indonesia is a unitary country that has a lot of different cultural and ethnic wealth. This wealth can be seen from the historical and archeological heritage which was found as a cultural heritage of the past. Archeology found in the form of statues, ceramics, inscriptions, caves, architecture, gold and other objects that are the result of human activity in the past (Renoust, Franca, Chan, Le, et al. 2019). The archeology found requires a lot that is damaged or incomplete so that it is necessary to reconstruct past cultures. Documentation

---

<sup>1</sup>University Dian Nuswantoro, Doctoral Program Of Computer Science, Semarang, Central Java, Indonesia, [marlinda@mhs.dimus.ac.id](mailto:marlinda@mhs.dimus.ac.id)

<sup>2</sup>STMIK Nusa Mandiri, Informatica Engineering, Jakarta, Indonesia, [linda.ldm@nusamandiri.ac.id](mailto:linda.ldm@nusamandiri.ac.id).

<sup>3</sup>University Dian Nuswantoro, Doctoral Program Of Computer Science, Semarang, Central Java, Indonesia, [srustad60@gmail.com](mailto:srustad60@gmail.com)

<sup>4</sup>University Dian Nuswantoro, Doctoral Program Of Computer Science, Semarang, Central Java, Indonesia,

<sup>5</sup>University Dian Nuswantoro, Doctoral Program Of Computer Science, Semarang, Central Java, Indonesia,

<sup>6</sup>University Pelita Bangsa, Informatica Engineering, Cikarang West Java, Indonesia, [fatchan@pelitabangsa.ac.id](mailto:fatchan@pelitabangsa.ac.id)

is an appropriate effort to preserve archeology so that it is not lost or sold to unauthorized parties and an image matching system is needed(Gruen, Remondino, and Zhang 2003).

At present, the number of Buddha statues in Borobudur temple is around 504, with 228 head-shaped Buddha statues and 247 headless Buddha statues(Setyawan et al. 2017). These conditions require conservation efforts, one of which is by matching the image of the head of the statue with the body of the statue that is in the temple. Matching the statue can not be done in a direct way, but by doing more in-depth research on the face of the statue(Renoust, Franca, Chan, Garcia, Le, Uesaka, Nakashima, Nagahara, and Wang 2019). This is to avoid installation errors that will reduce the importance of the statue so that an image matching method is needed.

Image matching is one part of image processing that is done to look for other images of a similar type of similarity. One parameter that represents the degree of similarity between two images is the euclidean distance. The smaller the euclidean distance between the two images, the more similar the two images will be. Euclidean distances can be calculated based on special characteristics possessed by an image(Recognition n.d.). These characteristics include color characteristics, texture characteristics, shape characteristics, geometry characteristics, and size characteristics. Image matching uses Euclidean distances based on color features. The color feature is calculated on the HSV color space which consists of Hue, Saturation, and Value components(D. Images 2016)

Problems that will arise in matching one image with another picture or comparing two images, then the question will be obtained when the two images being matched are the same or similar, and how this similarity can be measured, defining the first two images and the second picture as identical when all values the same pixel is zero. Although such definitions may be useful in specific applications, such as to detect changes in sequential images in constant lighting and camera conditions, simple pixel differences are usually too inflexible for practical use. Noise, quantization errors, small changes in lighting, and minute shifts or rotations can all make large numerical pixel differences for pairs of images that will still be considered exactly by the human viewer. To solve the current problem using an image matching system with SURF concerning light intensity(Karami, Prasad, and Shehata 2017)(Bay, Tuytelaars, and Van Gool 2006).

## 2. RELATED WORK

### 2.1 Buddhist statues in Indonesia

The statue is a picture of a worshiped god or saint as outlined in paintings, mosaics, sculptures and so on. Buddha statues can be in the Borobudur Temple has a variety of sizes. In measurement, there are 6 (six) ways to measure the statue, which are (the length of the statue), pramana (width of the statue), unmanaged (thickness of the statue), Parimana (circumference of the statue), Upama (cavity of the statue) and Lambamana (vertical size)(Wang et al. 2018). The units of measurement that are often used in making statues are tuning and angular(Setyawan et al. 2017). According to the Samyak sam bhasita script - Pratimanalaksanam, the length of the face of the Buddha statue is 13.5 angles divided into three parts, namely the forehead, lower forehead to the lower nose (nose length), and the lower nose to the chin limit. The size of the forehead and the length of the nose are four angles(Gruen, Remondino, and Zhang 2003)(Renoust, Franca, Chan, Garcia, Le, Uesaka, Nakashima, Nagahara, Wang, et al. 2019), while from the lower nose to the chin the length is longer. Research on archeology, artifacts, features, and ecofacts has become the main framework for uncovering past cultures. Artifacts are the result of human creations from

materials obtained in nature to support and facilitate the activities of life, features are traces of nature and trace due to human activities in the past, ekofak is a relic of the remnants of nature used by humans to support the fulfillment daily necessities and activities(Renoust, Franca, Chan, Le, et al. 2019).

## 2.2 Face detection on the statue

Face detection on a statue (face detection) is one of the first steps that are very important before the process of facial recognition (face recognition). The problem of pattern classification on the face detection of the statue is given input in the form of an image with the class label being output(Renoust, Franca, Chan, Garcia, Le, Uesaka, Nakashima, Nagahara, Wang, et al. 2019). the process of segmenting facial areas on the statue of an image works by examining facial features, then the process of separating the face image from the background offline, after that the process of detecting faces can be done(Renoust, Franca, Chan, Le, et al. 2019). Data set used alicevision.github.io. In this case there are two class labels, namely the face of the original statue and the face of the dataset statue(Rahman and Sumpeno 2016)

There are four different approaches to face detection problems(Tan et al. 2006):

- a. Knowledge-based method: Rules are based on human knowledge about the defining features of the face of a human being. The majority of these rules discuss the relationship between features.
- b. Feature invariant method: the algorithm is designed to look for structural features of faces that are invariant to common problems regarding poses, obstacles, expressions, image conditions, and protections.
- c. Template matching method: with a set of samples given, a set of similar standard face patterns can be generated. The definition between sample image and pattern set can be calculated to conclude.
- d. Appearance-based method: similar to the template matching method. The aim is to get higher accuracy with greater variation in training data.

## 2.3 Speed-Up Robust Features (SURF) Method

The image feature detection method uses a key point that has a fixed value when it changes rotation, changes in light, scale, blurring, 3-dimensional transformation, and changes shape. Changes in the shape of the image occur because the shape of the image is not complete and perfect. Test images that are not intact are caused by a background object covering, or taking pictures with the camera imperfectly, and the position of the image changes in color or shape. With the initial step of making invariant space scale space is divided into octave numbers(Wu et al. 2019).

The process presents octave numbers to the filter response, by increasing the size of the filter so that the maximum convolution process is carried out to increase the size limited by the positive or negative lobe length of the second-order Gaussian derivative. 9x9 filter output for lowest level conditions. The filter process uses the Gaussian value  $\sigma = 1.2$ (sciencedirect-topic-image-matching.pdf n.d.)(Hilman and Telkom 2015).

## 2.4 The method of calculating the similarity or similarity of an image

Calculation with regression uses the method of calculating the similarity of images based on distance. Before grouping data or objects to be detected, it is first determined the size of the proximity of the data elements. Euclidean distance is a method of comparing the

minimum distance of a testing image with a training image database. the euclidian distance of two vectors  $x$  and vector  $y$  is calculated by the equation(Wang et al. 2018)(Recognition n.d.)(Baron 1981)

$$d(x,y) = \left[ \sum (x_i - y_i)^2 \right]^{1/2} \quad (1)$$

if the values of  $d(x, y)$  are small, then the two vectors can be matched. If the value is large, the value will be different for the two vectors that are matched. Measurements for replacing quadratic differences by adding up the absolute differences of the variables using the manhattan distance. The steps above are called city block distance (equation 2)

$$D(x,y) = L_p = \sum \|x_i - y_i\| \quad (2)$$

### 2.5 Processing matching on Key point

The matching process of the circular area around the pixel is made into a key point. the creation of a rectangular area on the selected cross and extracting the SURF descriptor is the process of matching features between two images(Oliva n.d.)(Belanche n.d.). By calculating the keypoint descriptors by calculating the Wavelet Haar response of the first order in the  $x$  and  $y$  directions. To reduce computation time on feature extraction and feature matching process, which has also been proven to increase robust and process speed using image integrals(Zhang, Member, and Tjondronegoro 2011)(Kashef and Nezamabadi-pour 2014).

## 3. METHODOLOGY

The SURF method in processing features has a constant value for changes in scale, rotation, blurring, and lighting. In detecting face statues by looking for an interesting point at a detected face object location is described as follows:




Figure 1 processing with the SURF Method

The SURF Feature Extraction Testing Process on the test image by displaying an interesting point in the face area of the image of the test image using Gaussian. In the testing process cutting the face area of the statue that was detected using the region of interest (ROI) method, to facilitate the detection of the face area using the SURF method(Wang et al. 2018)(C. Images 2016). The results of the SURF feature extraction on the test image by displaying interest points that are in the face area of the test image, there are points of interest in the face area of the test data statue and can be detected after going through the SURF

extraction process. The test data entered comes from a face image of the statue (Shuo, Na, and Huajun 2012)(Chen et al. 2018). Where each face has undergone a rotation and scale transformation. The results of the SURF feature extraction in the initial data image by displaying an interesting point in the face area of the initial data image. Points of interest in the face area of the initial data statue can be detected after going through the extraction process (Benoust, Franca, Chan, Garcia, Le, Uesaka, Nakashima, Nagahara, Wang, et al. 2019)(Bay, Tuytelaars, and Van Gool 2006). The Matching Testing Process Using FLANN, after the extraction stage, is completed, the next step is to compare the same points of interest using the FLANN method. Referring to the method for matching the SURF feature, which is one of the methods of approximated nearest neighbor (FLANN) fast library. Where this FLANN feature looks for the closest and most suitable interest point value. If the value of the interest points in the test image and the initial data image are considered to be the same and are considered the most suitable, then a line will be drawn from each of the test images and the initial data image. From the picture above you can see the withdrawal of interest points with the same value (Harahap 2016)(Na et al. 2019).

#### 4. RESULTS AND DISCUSSIONS

##### 4.1 SURF Feature Extraction Testing Process on Test Imagery

The following is the result of the SURF feature extraction on the test image by displaying an interesting point in the face area of the image of the test image using gaussian:




Figure 2. The extraction feature process with the surf method

The image is a representation of the image, and the image is produced from the output of taking pictures in the form of photos, the image itself has a lot of information in which a lot of pixel sets, in image data there is an influence on the deterioration in image quality of image defects (Chen et al. 2018)(Padalkar et al. 2013).

1. Elements in the Image image: Brightness, Contrast, Contour and Color.
2. Pixels are the smallest parts of an image, each pixel has a different value - different
3. Resolution is the level of detail of the image, the high resolution as a good determinant of the quality of the image.
4. Convolution The process of image manipulation
5. Gaussian: Serves to smooth the image, in the process of smoothing gaussian using a normal distribution.

In the test image, the image underwent rotation transformation by rotating the image by rotating per- $30^0$  to  $240^0$ . Then obtained 8 test images with the position of the image of the face of the statue as follows:  $30^0$ ,  $60^0$ ,  $90^0$ ,  $120^0$ ,  $150^0$ ,  $180^0$ ,  $210^0$ ,  $240^0$ .



Figure 2. Image rotation of the Buddha statue

#### Rotational Change Testing

The face detection system test results use the SURF method by calculating the value of the interest points obtained in the test image and the initial data image. Euclidean Distance Value on the above Buddha dataset with preprocessing images with different positions produces proximity values as in the distance matrix image as below:

Tabel 1. Gambar Distance Matrix Clustering menggunakan Ecludien

	59.910	44.943	43.960	40.289	43.805	41.357	46.422
59.910		64.082	63.677	57.757	61.892	62.088	61.192
44.943	64.082		48.927	47.011	43.548	42.777	47.231
43.960	63.677	48.927		43.312	44.188	38.894	36.818
40.289	57.757	47.011	43.312		43.105	44.151	46.521
43.805	61.892	43.548	44.188	43.105		33.880	43.019
41.357	62.088	42.777	38.894	44.151	33.880		37.838
46.422	61.192	47.231	36.818	46.521	43.019	37.838	

Table 1 above explains the level of similarity of 100% for shooting face statues based on the SURF method




Figure 2. Distance Map Clustering

The picture above shows the object image using the distance map clustering using excluding. From the test results, it can be seen at the testing stage that facial image extraction has been successfully used using SURF. Besides, it can display the number of interest points in each image, be it the initial data image or the test image. By using the

FLANN matching technique, we can display the number of interest points with the same value according to FLANN calculations. For analysis of each test result are:

#### 1. Changes in Rotation

The number of test images used amounted to 8 test images that have undergone rotational changes. Assuming that the position of the image used is at a predetermined rotation, namely:  $30^0$ ,  $60^0$ ,  $90^0$ ,  $120^0$ ,  $150^0$ ,  $180^0$ ,  $210^0$ ,  $240^0$  for each face used. For the results of the interest point value obtained, it can be analyzed that the value of interest points for sample data is of a fixed value for each sample.

#### 2. Change in scale

For testing the scale change of the one face image test statue. The number of images transformed is scaled down. Interest point values can be extracted well and after being matched with the FLANN method, the points on the face areas that are compared are correctly positioned.

### 5. CONCLUSIONS

Image matching on a Buddha statue using the surf method in testing face images with rotational changes and scaling strong value points in changes. the use of extra **17** on can increase the value of interest points. If the face image data is not the same, this is **due to the small number of samples**. Determination of **the** face area **of** the statue used as parameters of the eyes, nose, lips, and eyebrows. Detection of interest point values in certain areas, for example on the eyes, nose or lips. The results of matching images on the statue's face statue can be used for the damaged statue's face.

**9**

### REFERENCES

- Baron, Robert J. 1981. "Mechanisms of Human Facial Recognition." *International Journal of Man-Machin**3** Studies* 15(2): 137–78.
- Bay, Herbert, Tinne Tuytelaars, and Luc Van Gool. 2006. "SURF: Speeded up Robust Features." *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* 3951 LNCS: 404–17.
- Belanche, L.A. "Review and Evaluation of Feature Selection Algorithms in Synthetic Problems ArXiv : 1101 . 2320v1 [ Cs . AI ] 12 Jan 2011." **7**
- Chen, S. J. et al. 2018. "An Improved Image Matching Methodbasedon Surf Algorithm." *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives* 42(3): 179–84. **16**
- Gruen, A, F Remondino, and L Zhang. 2003. "Automated Modeling of the Great Buddha Statue in Bamiyan, Afghanistan." *International Archives of*  
[https://scholar.google.com/citations?view\\_op=view\\_citation&continue=/scholar%3Fhl%3Den%26start%3D370%26as\\_sdt%3D0,36%26scilib%3D1%26scioq%3Dcambodia%2Bprehistory&ciltm=1&citation\\_for\\_view=PzuYy6gAAAAJ:bz8QjSJIRt4C&hl=en&oi=p](https://scholar.google.com/citations?view_op=view_citation&continue=/scholar%3Fhl%3Den%26start%3D370%26as_sdt%3D0,36%26scilib%3D1%26scioq%3Dcambodia%2Bprehistory&ciltm=1&citation_for_view=PzuYy6gAAAAJ:bz8QjSJIRt4C&hl=en&oi=p).
- Harahap, H.P. 2016. "Pendeteksi Objek Pada Citra Menggunakan Pencocokan Titik-Titik Fitur Berbasis Algoritma SURF Dan MSER." *Komputasi* 13(2): 71–79.
- Hilman, Felix Pidha, and Universitas Telkom. 2015. "PERBANDINGAN METODE SURF DAN SIFT DALAM SISTEM A COMPARISON OF SURF AND SIFT METHOD ON SIGNATURE IDENTIFICATION SYSTEM." 2(2): 2467–81.
- Images, Color. 2016. "Color Images." : 291–92.
- Images, Digital. 2016. "Digital Images." : 1–2.



- Karami, Ebrahim, Siva Prasad, and Mohamed Shehata. 2017. "Image Matching Using SIFT, SURF, BRIEF and ORB: Performance Comparison for Distorted Images." <http://arxiv.org/abs/1710.02726>.
- Kashef, Shima, and Hossein Nezamabadi-pour. 2014. "An Advanced ACO Algorithm for Feature Subset Selection." *Neurocomputing*. <http://dx.doi.org/10.1016/j.neucom.2014.06.067>.
- Na, J. et al. 2015. "Mapping Artificial Terraces from Image Matching Point Cloud in Loess Plateau of China." *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives* 42(2/W13): 69–73.
- Oliva, Diego. *Studies in Computational Intelligence* 825 *Metaheuristic Algorithms for Image Segmentation: Theory and Applications*.
- Padalkar, Milind G. et al. 2013. "Identifying Vandalized Regions in Facial Images of Statues for Inpainting." *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* 8158 LNCS: 208–17.
- Rahman, Aviv Yuniar, and Surya Sumpeno. 2016. "Segmentasi Arca Pada Museum Mpu Tantular Sidoarjo Menggunakan Learning Vector Quantization." (July 2017): 16–21.
- Recognition, Object Image Matching."
- Renoust, Benjamin, Matheus Oliveira Franca, Jacob Chan, Van Le, et al. 2019. "Buda: A Multimodal Content-Based Analysis and Retrieval System for Buddha Statues." *MM 2019 - Proceedings of the 27th ACM International Conference on Multimedia*: 1062–64.
- Renoust, Benjamin, Matheus Oliveira Franca, Jacob Chan, Noa Garcia, Van Le, Ayaka Uesaka, Yuta Nakashima, Hajime Nagahara, Jueren Wang, et al. 2019. "Historical and Modern Features for Buddha Statue Classification." *SUMAC 2019 - Proceedings of the 1st Workshop on Structuring and Understanding of Multimedia heritAge Contents, co-located with MM 2019*: 23–30.
- . 2019. "Historical and Modern Features for Buddha Statue Classification." : 23–30.
- "Sciencedirect-Topic-Image-Matching.Pdf."
- Setyawan, Hari et al. 2017. "KAJIAN PENCOCOKAN KEPALA ARCA BUDDHA CANDI BOROBUDUR TAHAP II Hari Setyawan, Agus Hendratno, Marsis Sutopo, Jati Kurniawan, Puji Santosa, Irawan Setyawan." XI: 4–24.
- Shuo, Hu, Wu Na, and Song Huajun. 2012. "Object Tracking Method Based on SURF." *AASRI Procedia* 3: 351–58.
- Tan, Xiaoyang, Songcan Chen, Zhi Hua Zhou, and Fuyan Zhang. 2006. "Face Recognition from a Single Image per Person: A Survey." *Pattern Recognition* 39(9): 1725–45.
- Wang, Haiyan et al. 2018. "Image-Face-Based Virtual Inpainting for Severely Damaged Statues of Dazu Rock Carvings." *Journal of Cultural Heritage*. <https://doi.org/10.1016/j.culher.2018.08.007>.
- Wu, Quan et al. 2019. "Infrared Physics & Technology Robust and Efficient Multi-Source Image Matching Method Based on Better Buddies Similarity Measure ☆." *Infrared Physics and Technology* 101(May): 88–95. <https://doi.org/10.1016/j.infrared.2019.05.020>.
- Zhang, Ligang, Student Member, and Dian Tjondronegoro. 2011. "Using Facial Movement Features." 2(4): 219–29.

# Turnitin Bu Linda S3

## ORIGINALITY REPORT

10%

SIMILARITY INDEX

8%

INTERNET SOURCES

6%

PUBLICATIONS

6%

STUDENT PAPERS

## PRIMARY SOURCES

1	<a href="http://www.macmillanexplorers.com">www.macmillanexplorers.com</a> Internet Source	2%
2	Submitted to University of Computer Studies Student Paper	1%
3	<a href="http://repositorio-aberto.up.pt">repositorio-aberto.up.pt</a> Internet Source	1%
4	Michael P. Finn, Diana Thunen. "Recent literature in cartography and geographic information science", Cartography and Geographic Information Science, 2014 Publication	1%
5	<a href="http://researchoutput.ncku.edu.tw">researchoutput.ncku.edu.tw</a> Internet Source	<1%
6	<a href="http://vdocuments.site">vdocuments.site</a> Internet Source	<1%
7	<a href="http://researchers.mq.edu.au">researchers.mq.edu.au</a> Internet Source	<1%
8	<a href="http://www.mitpressjournals.org">www.mitpressjournals.org</a> Internet Source	<1%
9	Submitted to University of Derby	

<1 %

---

10 [www.nature.com](http://www.nature.com)  
Internet Source

<1 %

---

11 [export.arxiv.org](http://export.arxiv.org)  
Internet Source

<1 %

---

12 [scholarpublishing.org](http://scholarpublishing.org)  
Internet Source

<1 %

---

13 [repository.tudelft.nl](http://repository.tudelft.nl)  
Internet Source

<1 %

---

14 Quan Wu, Guili Xu, Yuehua Cheng,  
Zhengsheng Wang, Wende Dong, Limin Ma.  
"Robust and efficient multi-source image  
matching method based on best-buddies  
similarity measure", Infrared Physics &  
Technology, 2019  
Publication

<1 %

---

15 Submitted to Taylor's Education Group  
Student Paper

<1 %

---

16 [3dom.fbk.eu](http://3dom.fbk.eu)  
Internet Source

<1 %

---

17 [ueaeprints.uea.ac.uk](http://ueaeprints.uea.ac.uk)  
Internet Source

<1 %

---

18 [robotics.eecs.berkeley.edu](http://robotics.eecs.berkeley.edu)  
Internet Source

<1 %

---

19 Diego Oliva, Mohamed Abd Elaziz, Salvador

---

Hinojosa. "Metaheuristic Algorithms for Image Segmentation: Theory and Applications", Springer Science and Business Media LLC, 2019

Publication

<1%

---

20

Antoine Mazuyer, Paul Cupillard, Richard Giot, Marianne Conin, Yves Leroy, Pierre Thore. "Stress estimation in reservoirs using an integrated inverse method", Computers & Geosciences, 2018

Publication

<1%

---

21

[borobudurpedia.id](http://borobudurpedia.id)

Internet Source

<1%

---

22

Benjamin Renoust, Matheus Oliveira Franca, Jacob Chan, Van Le et al. "BUDA.ART", Proceedings of the 27th ACM International Conference on Multimedia - MM '19, 2019

Publication

<1%

---

23

Submitted to University of Sheffield

Student Paper

<1%

---

24

[www.enib.fr](http://www.enib.fr)

Internet Source

<1%

---

25

Submitted to Korea Advanced Institute of Science and Technology

Student Paper

<1%

---

Exclude quotes On

Exclude matches Off

Exclude bibliography Off